

Long Canyon drill results*

Hole ID	From (feet)	To (feet)	Intercept Length (feet)	Au (ppb)	Au (oz/ton)	Intercept Length (metres)	Au (g/t)
2000							
LC001	No reportable intercepts						
LC002	No reportable intercepts						
LC003	0	80	80	2470	0.072	24.4	2.47
including	35	45	10	5668	0.165	3.0	5.67
LC004	No reportable intercepts						
LC005	180	200	20	519	0.015	6.1	0.52
LC006	No reportable intercepts						
LC007	30	35	5	504	0.015	1.5	0.50
2005							
LC008	125	190	65	2851	0.083	19.8	2.85
including	170	180	10	12584	0.367	3.0	12.58
LC009	160	170	10	300	0.009	3.0	0.30
	345	385	40	201	0.006	12.2	0.20
LC010	65	135	70	6046	0.176	21.3	6.05
including	95	120	25	13335	0.389	7.6	13.34
	185	210	25	902	0.026	7.6	0.90
LC011	35	55	20	1476	0.043	6.1	1.48
LC012	0	55	55	8124	0.237	16.8	8.12
including	25	50	25	13916	0.406	7.6	13.92
	55	140	85	482	0.014	25.9	0.48
LC013	50	100	50	5518	0.161	15.2	5.52
including	55	85	30	8264	0.241	9.1	8.26
LC014	60	100	40	4328	0.126	12.2	4.33
including	75	90	15	8910	0.260	4.6	8.91
2006							
LC015	90	140	50	1369	0.040	15.2	1.37
LC016	20	30	10	352	0.010	3.0	0.35
LC017	75	100	25	490	0.014	7.6	0.49
LC018	115	160	45	20041	0.585	13.7	20.04
including	130	155	25	32887	0.959	7.6	32.89
	160	275	115	2226	0.065	35.1	2.23
LC019	No reportable intercepts						
LC020	35	120	85	3140	0.092	25.9	3.14
	80	90	10	7915	0.231	3.0	7.92
LC021	No reportable intercepts						
LC022	No reportable intercepts						
LC023	10	35	25	4320	0.126	7.6	4.32
	15	25	10	7740	0.226	3.0	7.74
LC024	20	60	40	1642	0.048	12.2	1.64
LC025	10	25	15	1358	0.040	4.6	1.36
LC026	10	20	10	640	0.019	3.0	0.64
LC027	60	65	5	531	0.015	1.5	0.53
LC028	55	135	80	2530	0.074	24.4	2.53
including	65	70	5	7132	0.208	1.5	7.13
	115	120	5	6230	0.182	1.5	6.23
LC029	65	90	25	1230	0.036	7.6	1.23

Hole ID	From (feet)	To (feet)	Intercept Length (feet)	Au (ppb)	Au (oz/ton)	Intercept Length (metres)	Au (g/t)
LC030	85	105	20	1096	0.032	6.1	1.10
	190	225	35	856	0.025	10.7	0.86
	250	295	45	2226	0.065	13.7	2.23
LC031	0	25	25	2397	0.070	7.6	2.40
LC032	0	30	30	2603	0.076	9.1	2.60
LC033	0	10	10	1644	0.048	3.0	1.64
	285	295	10	1473	0.043	3.0	1.47
LC034	No reportable intercepts						
LC035	350	370	20	445	0.013	6.1	0.45
LC036	35	50	15	445	0.013	4.6	0.45
LC037	35	75	40	719	0.021	12.2	0.72
	90	100	10	445	0.013	3.0	0.45
	165	225	60	1610	0.047	18.3	1.61
LC038	160	175	15	411	0.012	4.6	0.41
LC039	130	140	10	1096	0.032	3.0	1.10
2007							
LC040	No reportable intercepts						
LC041	220	270	50	3878	0.113	15.2	3.88
LC042	270	280	10	1205	0.035	3.0	1.21
LC043	330	395	65	5711	0.167	19.8	5.71
including	330	360	30	10973	0.320	9.1	10.97
LC044	295	320	25	3406	0.099	7.6	3.41
including	305	310	5	10830	0.316	1.5	10.83
LC045	40	260	240	3276	0.096	73.2	3.28
including	85	120	35	12320	0.360	10.7	12.32
	85	130	45	10710	0.313	13.7	10.71
	40	135	95	6610	0.193	29.0	6.61
LC046	No reportable intercepts					0.0	
LC047	No reportable intercepts					0.0	
LC048	No reportable intercepts					0.0	
LC049	No reportable intercepts					0.0	
LC050			5	1246	0.036	1.5	1.25
LC051	No reportable intercepts					0.0	
LC052			15	583	0.017	4.6	0.58
LC053	No reportable intercepts					0.0	
LC054	70	95	25	413	0.012	7.6	0.41
	220	275	55	3027	0.088	16.8	3.03
including	230	245	15	8077	0.236	4.6	8.08
	295	300	5	1899	0.055	1.5	1.90
	475	490	15	543	0.016	4.6	0.54
LC055	No reportable intercepts					0.0	
LC056	No reportable intercepts					0.0	
LC057	90	95	5	599	0.017	1.5	0.60
LC058	190	215	25	2337	0.068	7.6	2.34
	225	240	15	1331	0.039	4.6	1.33
LC059	125	130	5	440	0.013	1.5	0.44
	165	205	40	2389	0.070	12.2	2.39
including	185	195	10	6021	0.176	3.0	6.02
	215	220	5	312	0.009	1.5	0.31
	225	230	5	384	0.011	1.5	0.38

Hole ID	From (feet)	To (feet)	Intercept Length (feet)	Au (ppb)	Au (oz/ton)	Intercept Length (metres)	Au (g/t)
LC060	150	205	55	2977	0.087	16.8	2.98
including	155	160	5	11840	0.346	1.5	11.84
	215	220	5	1068	0.031	1.5	1.07
LC061	No reportable intercepts					0.0	
LC062C	78.5	88.5	10	319	0.009	3.1	0.32
	112.5	129.0	16.5	324	0.009	5.0	0.32
	164.0	199.0	35	566	0.017	10.7	0.57
	268.5	295.5	27	2026	0.059	8.2	2.03
LC063C	144.0	219.0	75	13398	0.391	22.9	13.40
including	166.0	194.0	28	26119	0.763	8.5	26.10
including	166.0	189.0	23	30102	0.879	7.0	30.10
including	180.0	189.0	9	42154	1.231	2.7	42.20
LC064C	117.0	167.0	50	17280	0.505	15.2	17.28
LC065C	118.5	123.5	5	717	0.021	1.5	0.72
LC066C	102.0	209.0	107	3139	0.092	32.6	3.14
including	127.0	138.5	11.5	8980	0.262	3.5	8.98
	151.5	156.5	5	5922	0.173	1.5	5.92
	212.0	227.0	15	457	0.013	4.6	0.46
LC067C	204.0	294.0	90	4105	0.120	27.4	4.11
including	232.0	245.3	13.3	8134	0.237	4.1	8.13
	249.3	267.5	18.2	9121	0.266	5.5	9.12
2008							
LC068	205	215	10	346	0.010	3.0	0.35
	255	265	10	936	0.027	3.0	0.94
LC069	No reportable intercepts						
LC070	230	245	15	562	0.016	4.6	0.56
	250	340	90	1633	0.048	27.4	1.63
including	300	310	10	7165	0.209	3.0	7.17
	445	455	10	424	0.012	3.0	0.42
	490	510	20	382	0.011	6.1	0.38
LC071	85	115	30	753	0.022	9.1	0.75
	135	165	30	986	0.029	9.1	0.99
LC072C	137.8	155	17.2	5290	0.154	5.2	5.29
including	145	148	3	15210	0.444	0.9	15.21
LC073	305	315	10	383	0.011	3.0	0.38
	345	355	10	350	0.010	3.0	0.35
	370	450	80	2280	0.067	24.4	2.28
including	375	380	5	6744	0.197	1.5	6.74
	395	400	5	9468	0.276	1.5	9.47
	460	470	10	388	0.011	3.0	0.39
	520	530	10	439	0.013	3.0	0.44
LC074C	130	144.2	14.2	2122	0.062	4.3	2.12
LC075	360	375	15	734	0.021	4.6	0.73
LC076C	No reportable intercepts						
LC077	No reportable intercepts						
LC078	No reportable intercepts						
LC079	650	660	10	1178	0.034	3.0	1.18
LC080C	No reportable intercepts						
LC081	260	325	65	2271	0.066	19.8	2.27
including	280	295	15	6190	0.181	4.6	6.19
	345	385	40	4294	0.125	12.2	4.29
including	365	375	10	12945	0.378	3.0	12.95
LC082	335	350	15	650	0.019	4.6	0.65
LC083C	131	176	45	3521	0.103	13.7	3.52
including	162.8	171	8.2	9967	0.291	2.5	9.97

Hole ID	From (feet)	To (feet)	Intercept Length (feet)	Au (ppb)	Au (oz/ton)	Intercept Length (metres)	Au (g/t)
	184	191	7	1059	0.031	2.1	1.06
	192.6	196	3.4	1765	0.052	1.1	1.77
LC084	330	365	35	4526	0.132	10.7	4.53
including	340	350	10	14130	0.413	3.0	14.13
LC085	250	375	125	4594	0.134	38.1	4.59
including	265	280	15	12592	0.368	4.6	12.59
	310	330	20	7902	0.231	6.1	7.90
	340	350	10	9210	0.269	3.0	9.21
	395	405	10	1102	0.032	3.0	1.10
	420	430	10	2046	0.060	3.0	2.05
	485	495	10	1947	0.057	3.0	1.95
LC086	370	490	120	3309	0.097	36.6	3.31
including	390	420	30	10208	0.298	9.1	10.21
LC087	360	390	30	9378	0.274	9.1	9.38
including	365	380	15	17633	0.515	4.6	17.63
LC088	250	260	10	576	0.017	3.0	0.58
LC089C	180	193.5	13.5	620	0.018	4.1	0.62
LC090	465	475	10	706	0.021	3.0	0.71
	505	520	15	425	0.012	4.6	0.43
LC091	185	200	15	1597	0.047	4.6	1.60
	305	335	30	1530	0.045	9.1	1.53
LC092	70	145	75	7739	0.226	22.9	7.74
including	75	115	40	12439	0.363	12.2	12.44
LC093C	246	351	105	3665	0.107	32.0	3.67
including	276	306	30	9433	0.275	9.2	9.43
LC094	245	255	10	570	0.017	3.0	0.57
	280	300	20	1114	0.033	6.1	1.11
LC095C	No reportable intercepts						
LC096	No reportable intercepts						
LC097C	No reportable intercepts						
LC098	680	705	25	2531	0.074	7.6	2.53
including	680	685	5	8410	0.246	1.5	8.41
LC099	560	640	80	2389	0.070	24.4	2.39
including	615	620	5	5610	0.164	1.5	5.61
	690	710	20	802	0.023	6.1	0.80
LC100C	197	232	35	1840	0.054	10.7	1.84
	467	487	20	1527	0.045	6.1	1.53
LC101	No reportable intercepts						
LC102	No reportable intercepts						
LC103C	165	230	65	5193	0.152	19.8	5.19
including	176.8	185	8.2	6120	0.179	2.5	6.12
	190	205	15	13898	0.406	4.6	13.90
LC104	355	365	10	1015	0.030	3.1	1.02
LC105C	No reportable intercepts						
LC106	585	605	20	582	0.017	6.1	0.58
LC107C	136	178.2	42.2	4812	0.141	12.8	4.81
including	139	142.2	3.2	5532	0.162	1.0	5.53
	151	165.1	14.1	8160	0.238	4.3	8.16
	168.2	171	2.8	9047	0.264	0.8	9.05
	196	215.7	19.7	493	0.014	6.0	0.49
LC108	445	455	10	528	0.015	3.0	0.53
LC109	No reportable intercepts						
LC110	No reportable intercepts						
LC111C	131	216	85	2183	0.064	25.9	2.18
including	186	191	5	11598	0.339	1.5	11.60
	206	210.7	4.7	7943	0.232	1.4	7.94

Hole ID	From (feet)	To (feet)	Intercept Length (feet)	Au (ppb)	Au (oz/ton)	Intercept Length (metres)	Au (g/t)
LC112	85	105	20	369	0.011	6.1	0.37
	320	340	20	1153	0.034	6.1	1.15
LC113	245	485	240	1684	0.049	73.2	1.68
including	310	320	10	13326	0.389	3.1	13.33
LC114C	132	192	60	1369	0.040	18.3	1.37
	193.5	217	23.5	6113	0.179	7.2	6.11
including	193.5	197	3.5	7869	0.230	1.1	7.87
	201	209	8	12805	0.374	2.4	12.81
	322	337	15	3646	0.106	4.5	3.65
including	329	331.2	2.2	18598	0.543	0.7	18.60
LC115	200	225	25	989	0.029	7.6	0.99
	230	280	50	2842	0.083	15.2	2.84
including	255	260	5	9390	0.274	1.5	9.39
LC116	320	345	25	919	0.027	7.6	0.92
LC117C	269.4	281	11.6	2644	0.077	3.6	2.64
including	278	281	3	8369	0.244	0.9	8.37
	301	351	50	2795	0.082	15.2	2.79
including	331	332	1	13332	0.389	0.3	13.33
LC118	285	315	30	550	0.016	9.1	0.55
	355	370	15	599	0.017	4.6	0.60
LC119	80	95	15	1810	0.053	4.6	1.81
	100	150	50	2917	0.085	15.2	2.92
LC120	70	100	30	796	0.023	9.1	0.80
	400	445	45	3422	0.100	13.7	3.42
including	420	435	15	7210	0.211	4.6	7.21
LC121C	156	161	5	1413	0.041	1.5	1.41
LC122C	256	266	10	742	0.022	3.0	0.74
LC123	225	315	90	2854	0.083	27.4	2.85
including	270	275	5	6230	0.182	1.5	6.23
	340	350	10	391	0.011	3.0	0.39
	375	385	10	673	0.020	3.0	0.67
	420	445	25	440	0.013	7.6	0.44
	490	500	10	468	0.014	3.0	0.47
LC124	330	425	95	2154	0.063	29.0	2.15
LC125	165	205	40	3678	0.107	12.2	3.68
including	175	185	10	8615	0.252	3.0	8.62
LC126	50	120	70	2046	0.060	21.4	2.05
LC127C	141	156	15	3870	0.113	4.6	3.87
including	141	146	5	9986	0.292	1.5	9.99
	163	176	13	561	0.016	4.0	0.56
	201	271	70	1707	0.050	21.3	1.71
including	236	241	5	5806	0.170	1.5	5.81
LC128	No reportable intercepts						
LC129	305	415	110	2527	0.074	33.5	2.53
including	385	400	15	13176	0.385	4.6	13.18

Hole ID	From (feet)	To (feet)	Intercept Length (feet)	Au (ppb)	Au (oz/ton)	Intercept Length (metres)	Au (g/t)
LC130C	147	202	55	4339	0.127	16.8	4.34
including	162	182	20	6633	0.194	6.1	6.60
	184	187	3	8910	0.260	0.9	8.91
	198.5	200.5	2	5799	0.169	0.6	5.80
LC131	No reportable intercepts						
LC132	210	220	10	827	0.024	3.0	0.83
	285	480	195	3511	0.103	59.5	3.51
including	295	305	10	9354	0.273	3.0	9.35
	315	320	5	6066	0.177	1.5	6.07
	340	350	10	8465	0.247	3.0	8.47
	365	370	5	5612	0.164	1.5	5.61
	390	410	20	7962	0.232	6.1	7.96
LC133	No reportable intercepts						
LC134	405	450	45	6992	0.204	13.7	6.99
including	425	450	25	10256	0.299	7.6	10.26
	455	495	40	1135	0.033	12.2	1.13
LC135C	172	192	20	2735	0.080	6.1	2.74
including	175	180	5	5264	0.154	1.5	5.26
LC136	340	360	20	2743	0.080	6.1	2.74
including	345	350	5	8397	0.245	1.5	8.40
LC137	No reportable intercepts						
LC138	No reportable intercepts						
LC139C	227	282	55	4023	0.117	16.8	4.02
including	241.5	243.2	1.7	40529	1.183	0.5	40.53
	267	272	5	12865	0.376	1.5	12.87
LC140	370	410	40	1706	0.050	12.2	1.71
	420	445	25	2114	0.062	7.6	2.11
	500	510	10	6674	0.195	3.0	6.67
including	505	510	5	12665	0.370	1.5	12.67
LC141	440	485	45	4953	0.145	13.8	4.95
including	455	475	20	8520	0.249	6.1	8.52
LC142C	287	306	19	2740	0.080	5.8	2.74
including	302	306	4	6019	0.176	1.2	6.02
LC143C	No reportable intercepts						
LC144	No reportable intercepts						
LC145	No reportable intercepts						
LC146C	177	187	10	1122	0.033	3.0	1.12
	297	307	10	442	0.013	3.0	0.44
LC147	345	360	15	645	0.019	4.6	0.65
	370	395	25	3011	0.088	7.6	3.01
including	380	385	5	5918	0.173	1.5	5.92
LC148C	202	217	15	580	0.017	4.6	0.58
	272	282	10	677	0.020	3.0	0.68
LC149	365	445	80	3119	0.091	24.4	3.12
including	370	380	10	10079	0.294	3.0	10.08
	470	500	30	1642	0.048	9.1	1.64
LC150	No reportable intercepts						
LC151	No reportable intercepts						
LC152	No reportable intercepts						
LC153C	291	306	15	873	0.025	4.6	0.87
LC154	No reportable intercepts						
LC155C	No reportable intercepts						
LC156	405	435	30	1554	0.045	9.1	1.55
LC157C	62	77	15	405	0.012	4.6	0.41
	115.5	136.5	21	1230	0.036	6.4	1.23
LC158	415	505	90	1184	0.035	27.5	1.18

Hole ID	From (feet)	To (feet)	Intercept Length (feet)	Au (ppb)	Au (oz/ton)	Intercept Length (metres)	Au (g/t)
	520	530	10	932	0.027	3.0	0.93
LC159	420	435	15	812	0.024	4.6	0.81
	455	475	20	1133	0.033	6.1	1.13
	490	535	45	744	0.022	13.7	0.74
	645	655	10	1119	0.033	3.0	1.12
LC160C	76	159.5	83.5	5321	0.155	25.4	5.32
including	81	106	25	15288	0.446	7.6	15.29
	675.6	796	120.4	2047	0.060	36.7	2.05
including	684.4	693	8.6	7699	0.225	2.6	7.70
	756	760.3	4.3	5399	0.158	1.3	5.40
	778	782	4	5421	0.158	1.2	5.42
LC161C	5	53	48	9148	0.267	14.7	9.15
including	23	38	15	17775	0.519	4.6	17.78
LC162	395	450	55	3419	0.100	16.8	3.42
including	400	405	5	7240	0.211	1.5	7.24
	580	605	25	615	0.018	7.6	0.62
	615	625	10	394	0.012	3.0	0.39
	630	650	20	378	0.011	6.1	0.38
	660	725	65	1141	0.033	19.8	1.14
	775	785	10	529	0.015	3.0	0.53
	835	895	60	424	0.012	18.3	0.42
LC163C	31	106	75	978	0.029	22.8	0.98
including	66	70	4	8667	0.253	1.2	8.67
LC164C	82	97	15	414	0.012	4.6	0.41
	462	482	20	1692	0.049	6.1	1.69
LC165C	72.5	88	15.5	1261	0.037	4.7	1.26
LC166C	42	52	10	1045	0.030	3.0	1.04
LC167	No reportable intercepts						
LC168C	No reportable intercepts						
LC169C	No reportable intercepts						
LC170C	No reportable intercepts						
LC171C	10	28	18	527	0.015	5.5	0.53
LC172	165	190	25	5449	0.159	7.6	5.45
including	170	180	10	9357	0.273	3.0	9.36
LC173C	121.5	206	84.5	9029	0.264	25.8	9.03
including	124	131	7	11170	0.326	2.1	11.17
	146	158.2	12.2	15259	0.446	3.7	15.26
	166	188.5	22.5	14439	0.422	6.9	14.44
	306	319	13	1162	0.034	4.0	1.16
LC174C	No reportable intercepts						
LC175	285	310	25	1960	0.057	7.6	1.96
	435	450	15	1468	0.043	4.6	1.47
LC176	175	205	30	4037	0.118	9.1	4.04
including	185	190	5	7485	0.219	1.5	7.49
	195	200	5	6976	0.204	1.5	6.98
LC177	No reportable intercepts						
LC178	No reportable intercepts						

Hole ID	From (feet)	To (feet)	Intercept Length (feet)	Au (ppb)	Au (oz/ton)	Intercept Length (metres)	Au (g/t)
LC179	165	245	80	1458	0.043	24.4	1.46
	255	270	15	944	0.028	4.6	0.94
	345	380	35	669	0.020	10.7	0.67
LC180C	111	121	10	483	0.014	3.0	0.48
LC181	No reportable intercepts						
LC182C	302	311	9	633	0.018	2.7	0.63
LC183	385	395	10	536	0.016	3.0	0.54
LC184	No reportable intercepts						
LC185	No reportable intercepts						
LC186	270	290	20	1266	0.037	6.1	1.27
LC187C	No reportable intercepts						
LC188	No reportable intercepts						
LC189	455	465	10	551	0.016	3.0	0.55
	510	565	55	1144	0.033	16.8	1.14
LC190C	221	311	90	3255	0.095	27.4	3.25
including	229.25	240.5	11.25	18479	0.540	3.4	18.48
LC191	No reportable intercepts						
LC192C	No reportable intercepts						
LC193	No reportable intercepts						
LC194	No reportable intercepts						
LC195C	No reportable intercepts						
LC196C	No reportable intercepts						
LC197	465	485	20	1990	0.058	6.1	1.99
including	470	475	5	5094	0.149	1.5	5.09
	530	575	45	4761	0.139	13.7	4.76
including	545	565	20	8401	0.245	6.1	8.40
LC198	No reportable intercepts						
LC199	730	800	70	2833	0.083	21.3	2.83
including	780	790	10	10435	0.305	3.0	10.43
LC200	185	195	10	874	0.026	3.0	0.87
LC201C	61	76	15	989	0.029	4.6	0.99
	87	98	11	2805	0.082	3.4	2.81
LC202C	185	208	23	2883	0.084	7.0	2.88
including	185	190	5	9220	0.269	1.5	9.22
LC203C	75	98	23	2647	0.077	7.0	2.65
	148.65	176	27.35	1639	0.048	8.4	1.64
including	148.65	151	2.35	10050	0.293	0.7	10.05
LC204	No reportable intercepts						
LC205	110	150	40	3435	0.100	12.2	3.43
including	130	140	10	9499	0.277	1.6	9.50
LC206C	297	432	135	7075	0.207	41.2	7.08
including	305	316.5	11.5	10020	0.293	3.5	10.02
	317.5	318.5	1	15150	0.442	0.3	15.15
	322	336	14	12929	0.378	4.2	12.93
	342	357	15	12506	0.365	4.6	12.51
	362	363.5	1.5	10700	0.312	0.5	10.70
	402	412	10	10285	0.300	3.0	10.29
	417	425.5	8.5	9968	0.291	2.6	9.97
	472	486	14	879	0.026	4.3	0.88
LC207	No reportable intercepts						
LC208	115	135	20	7195	0.210	6.1	7.19
including	123	135	12	11260	0.329	3.7	11.26
LC209	50	60	10	442	0.013	3.0	0.44
LC210	No reportable intercepts						
LC211	No reportable intercepts						
LC212	45	70	25	1343	0.039	7.6	1.34

Hole ID	From (feet)	To (feet)	Intercept Length (feet)	Au (ppb)	Au (oz/ton)	Intercept Length (metres)	Au (g/t)
LC213	No reportable intercepts						
LC214	45	55	10	606	0.018	3.0	0.61
LC215	55	65	10	694	0.020	3.0	0.69
LC216	180	190	10	682	0.020	3.0	0.68
	210	235	25	1084	0.032	7.6	1.08
LC217	10	30	20	712	0.021	6.1	0.71
LC218	No reportable intercepts						
LC219	No reportable intercepts						
LC220	No reportable intercepts						
LC221	No reportable intercepts						
LC222	No reportable intercepts						
LC223	45	70	25	5277	0.154	7.6	5.28
including	50	55	5	20500	0.599	1.6	20.50
LC224	80	135	55	2854	0.083	16.8	2.85
LC225	No reportable intercepts						
LC226	No reportable intercepts						
LC227	35	50	15	2277	0.066	4.5	2.28
LC228C	49.5	71	21.5	2227	0.065	6.5	2.23
including	66	67.5	1.5	10.05	0.293	0.5	10.05
LC229C	No reportable intercepts						
LCMW3	325	455	130	3630	0.106	39.6	3.63
including	365	375	10	9080	0.265	3.0	9.08
	385	395	10	6340	0.185	3.0	6.34
	400	415	15	6080	0.178	4.5	6.08
	485	495	10	390	0.011	3.0	0.39
	525	535	10	521	0.015	3.0	0.52
	545	640	95	497	0.015	28.9	0.50
	645	655	10	647	0.019	3.0	0.65
	785	815	30	508	0.015	9.2	0.51
	885	895	10	713	0.021	3.0	0.71
LCMW4	0	30	30	739	0.022	9.1	0.74
2009							
LC230	No reportable intercepts						
LC231	No reportable intercepts						
LC232	No reportable intercepts						
LC233	95	120	25	2947	0.086	7.6	2.95
including	100	105	5	6990	0.204	1.5	6.99
	180	185	5	484	0.014	1.5	0.48
LC234	235	245	10	468	0.014	3.0	0.47
LC235	35	45	10	2625	0.077	3.0	2.63
	290	300	10	400	0.012	3.0	0.40
	320	325	5	578	0.017	1.5	0.58
LC236	245	250	5	485	0.014	1.5	0.49
	335	340	5	359	0.010	1.5	0.36
LC237	365	390	25	452	0.013	7.6	0.45
LC238	No reportable intercepts						
LC239	No reportable intercepts						
LC240	50	75	25	769	0.022	7.6	0.77

Hole ID	From (feet)	To (feet)	Intercept Length (feet)	Au (ppb)	Au (oz/ton)	Intercept Length (metres)	Au (g/t)
	400	420	20	1032	0.030	6.1	1.03
LC241	No reportable intercepts						
LC242	No reportable intercepts						
LC243C	No reportable intercepts						
LC244	No reportable intercepts						
LC245C	402	553	151	1227	0.036	46.0	1.23
LC246	No reportable intercepts						
LC247C	134	137	3	443	0.013	0.9	0.44
	458	464	6	337	0.010	1.8	0.34
LC248	No reportable intercepts						
LC249C	183	188	5	929	0.027	1.5	0.93
and	263	433	170	1306	0.038	51.8	1.31
including	268	274.2	6.2	9253	0.270	1.9	9.25
	371.5	373	1.5	11800	0.345	0.4	11.80
and	458	463	5	405	0.012	1.5	0.41
LC250	No reportable intercepts						
LC251C	No reportable intercepts						
LC252C	182	187	5	451	0.013	1.5	0.45
	202	255	53	2227	0.065	16.2	2.23
	291	327	36	426	0.012	11.0	0.43
LC253	No reportable intercepts						
LC254C	No reportable intercepts						
LC255C	418	422	4	365	0.011	1.2	0.37
	425.5	429	6.5	315	0.009	1.1	0.32
	508	509	1	2160	0.063	0.3	2.16
LC256	No reportable intercepts						
LC257C	340.5	357	16.5	523	0.015	5.0	0.52
LC258C	164	177	13	2722	0.079	4.0	2.72
LC259C	52	56.5	4.5	370	0.011	1.4	0.37
and	66	96.5	30.5	1498	0.044	9.3	1.50
LC260C	No reportable intercepts						
LC261C	188	198	10	384	0.011	3.0	0.38
	207	225	18	3981	0.116	5.5	3.98
including	216	225	9	6507	0.190	2.7	6.51
LC262	No reportable intercepts						
LC263C	323	341	18	2132	0.062	5.5	2.13
LC264C	No reportable intercepts						
LC265C	257.5	272	14.5	4343	0.127	4.4	4.34
LC266C	No reportable intercepts						
LC267C	322	332	10	318	0.009	3.0	0.32
LC268C	No reportable intercepts						
LC269C	188	241.5	53.5	1672	0.049	16.3	1.67
LC270C	432	457	25	1155	0.034	7.6	1.16
LC271C	No reportable intercepts						
LC272C	140	172	32	623	0.018	9.7	0.62
LC273C	448	457.5	9.5	4037	0.118	2.9	4.04
LC274C	No reportable intercepts						
LC275C	No reportable intercepts						
LC276C	No reportable intercepts						
LC277C	No reportable intercepts						
LC278C	No reportable intercepts						
LC279C	No reportable intercepts						
LC280C	22	56	34	2111	0.062	10.4	2.11
LC281C	No reportable intercepts						
LC282C	No reportable intercepts						
LC283C	No reportable intercepts						

Hole ID	From (feet)	To (feet)	Intercept Length (feet)	Au (ppb)	Au (oz/ton)	Intercept Length (metres)	Au (g/t)
LC284C	272	341	69	586	0.017	21.1	0.59
including	297	309	12	1075	0.031	3.8	1.08
LC285C	309	350.5	41.5	7394	0.216	12.7	7.39
including	312	321	9	28704	0.838	2.7	28.70
LC286C	13	23	10	1708	0.05	3.0	1.71
LC287C	No reportable intercepts						
LC288C	No reportable intercepts						
LC289C	15	27	12	1353	0.04	3.6	1.35
	261	338	77	691	0.02	23.4	0.69
including	327	338	11	1296	0.037	3.4	1.30
LC290C	438	455.5	17.5	3988	0.116	5.4	3.99
LC291C	12	22	10	1097	0.032	3.0	1.10
	77	92	15	382	0.011	4.5	0.38
	173	214	41	12519	0.366	12.5	12.52
including	199	211	12	40100	1.171	3.6	40.10
	251	264.5	13.5	1735	0.051	4.1	1.74
LC292C	67	112	45	873	0.025	13.7	0.87
	135	210.5	75.5	2504	0.073	23.0	2.50
including	200.5	210.5	10	9615	0.281	3.0	9.62
LC293C	200	228	28	1459	0.043	8.5	1.46
LC294C	No reportable intercepts						
LC295C	No reportable intercepts						
LC296C	No reportable intercepts						
LC297C	No reportable intercepts						
LC298C	No reportable intercepts						
LC299C	329	341	12	442	0.013	3.7	0.44
LC300C	211	223	12	469	0.014	3.7	0.47
LC301C	No reportable intercepts						
LC302C	No reportable intercepts						
LC303C	15	26.8	11.8	2574	0.075	3.6	2.57
LC304C	No reportable intercepts						
LC305C	No reportable intercepts						
LC307C	No reportable intercepts						
LC308C	No reportable intercepts						
LC309C	No reportable intercepts						
LC310C	442.6	447	4.4	2330	0.068	1.4	2.33
LC311C	130	152.5	22.5	1648	0.048	6.9	1.65
	166	176	10	605	0.018	3.0	0.60
	204.5	216	11.5	536	0.016	3.5	0.54
	251	286	35	828	0.024	10.7	0.83
	306	346	40	1004	0.029	12.2	1.00
LC312C	No reportable intercepts						
LC313C	526	536	10	422	0.012	3.0	0.42
LC315CA	No reportable intercepts						
LC315CB	No reportable intercepts						
LC317C	No reportable intercepts						
LC318C	No reportable intercepts						
LC319C	No reportable intercepts						
LC321C	No reportable intercepts						
LC324C	No reportable intercepts						
LC329C	84	183.5	99.5	3062	0.089	30.3	3.06
including	142	160.3	18.3	9764	0.289	5.6	10.20
	199	218	19	3021	0.088	5.8	3.02
LCG03	No reportable intercepts						

Hole ID	From (feet)	To (feet)	Intercept Length (feet)	Au (ppb)	Au (oz/ton)	Intercept Length (metres)	Au (g/t)
LCM01	81	117	36	2858	0.083	11.0	2.86
including	89.8	94	4.2	11006	0.321	1.3	11.00
LCM02	70	133	63	7938	0.232	19.2	7.94
including	82	104	22	20298	0.593	6.7	20.30
and	158	163	5	309	0.009	1.5	0.31
LCM03	40.8	58.5	17.7	6644.0	0.194	5.4	6.64
including	51.5	55.5	4.0	23500	0.686	1.2	23.50
	78	127	49	3462	0.101	14.9	3.46
including	80.8	83	2.2	6050	0.177	0.7	6.05
	116.5	123	6.5	8050	0.235	2.0	8.05
LMC04	87.5	97.5	10	494	0.014	3.0	0.49
LCM05	No reportable intercepts						
LCM06	63	131.5	68.5	1403	0.041	20.9	1.40
LCM07	18.5	26	7.5	1026	0.030	2.3	1.03
	153	158	5	350	0.010	1.5	0.35
LCM08	132	227	95	4359	0.127	29.0	4.40
including	157	197	40	8140	0.238	12.2	8.14
and	247	252	5	353	0.010	1.5	0.35
and	472	482	10	595	0.017	3.1	0.60
LCM09	No reportable intercepts						
LCM10	73	79	6	717	0.021	1.8	0.72
LCM11	No reportable intercepts						
LCM12	344	346	2	1720	0.050	0.61	1.72
and	377	382.5	5.5	437	0.013	1.68	0.44
and	393	398	5	322	0.009	1.52	0.32
and	403	408	5	610	0.018	1.53	0.61
LCM13	198	277.5	79.5	4926	0.144	24.2	4.93
including	206.5	217	10.5	11424	0.334	3.2	11.42
	222.5	228	5.5	10350	0.302	1.7	10.35
and	288	364.5	76.5	3882	0.113	23.3	3.88
	308	318	10	8725	0.255	3.0	8.73
LCM14	169	182	13.0	5774	0.169	6.7	5.80
	212	295.5	83.5	2649	0.077	25.5	2.65
including	217	222	5	7010	0.205	1.5	7.01
including	247	256.5	9.5	5680	0.166	2.9	5.68
LCM15	No reportable intercepts						
LCM16	No reportable intercepts						
LCM17	310	366	56	4148	0.121	17.1	4.15
including	335	355	20	7531	0.220	6.1	7.53
including	349	350	1	33200	0.969	0.3	33.20
LCM18	248	303	55	2815	0.082	16.8	2.82
	333	346	13	1498	0.044	4.0	1.50
LCM19	274.5	372.5	98	6621	0.193	29.9	6.62
including	274.5	277.5	3	46100	1.346	0.9	46.1
including	327	363	36	9214	0.269	11	9.21

**True widths of the mineralized intervals vary between 70-100% of the reported lengths.*

Assays on additional holes pending.

"No reportable intercepts" refers to intervals under 0.3 g/t Au

"#C" indicates core holes while "LCM" and "LCG" refers to metallurgical and geotechnical holes, respectively